

QUALITY ASSURANCE

NOTIFICATION

Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

1. **Manufacturers Notification Number:** ITS17ATEXQ02352 Issue 02
2. **Explosion Protection concept(s) covered by this Notification:** See Schedule 1
3. **Manufacturer:** Banelec.
4. **Address:** 3 Old Bush Street
Brierly Hill
West Midlands, DY5 1UB,
UK
5. Intertek Testing and Certification Limited, Notified Body No. 0359 for Annexes IV and VII in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, confirms that the manufacturer has a quality system which complies with Annex IV of the Directive.
6. Full details of the Audit are held in Intertek Project: G104129884.
7. This Notification may be withdrawn if the manufacturer no longer satisfies the requirements of Annex IV. Periodic inspection form part of this Notification.
8. This Notification is valid until **06 January 2023** and can be withdrawn if the manufacturer does not satisfy the quality assurance re-assessment.
9. The CE marking shall be followed by the identification number 0359 identifying the Notified Body involved in the production control stage required by Article 16 of the Directive 2014/34/EU.
10. This Notification may only be reproduced in its entirety and without any change, Schedule included.

Certification Officer:

R J Smith

Date:

12 March 2020

SCHEDULE 1:

MANUFACTURERS NOTIFICATION NUMBER: ITS17ATEXQ02352 - Issue 02

Explosion Protection Concepts for which the Manufacturer has been assessed:

Ex db Flameproof
Ex eb Increased safety
Ex tb Dust
Intrinsic Safety Ex 'ia'

Equipment Types for which the Manufacturer has been assessed:

Supplier of populated Ex d, Ex e and Ex td enclosures – populated including purchased Intrinsic Safety components, in accordance with schedule of limitations of the EU Type certificates and approved by certificate holder.

Revisions to Intertek Quality Assurance Notification ITS17ATEXQ02352

- Issue 0: July 2017 initial assessment carried out.
- Issue 1: August 2018 surveillance audit carried out.
- Issue 2: 4th February 2020, Re-assessment audit carried out and added Ex tb and Ex i.